

Ultra HD
4K



20 Multiple
Touch Points



Dual System



Whiteboard
Software



Document
Presentation




INTERACTIVE FLAT PANEL DISPLAY

TE-YL Series
Android 11 (8G + 64G)

PRODUCT FEATURES

Ultra HD 4K Resolution

Use Ultra HD 4K resolution screen, bring a vivid imaging experience and better visual experience



Zero Air Gap Technology

Zero air gap technology bring a more natural writing experience and better visual experience to the users.



Multi-Touch

20 point touch, support multiple person writing simultaneously.

Use our newest touch solution will give you a smooth and good experience for writing and drawing.





Wireless Screen Share

- Support wireless screen share, enable you to project your mobile phone, laptop or tablet to the interactive whiteboard conveniently.
- Support two-way control between projection device and Interactive display.
- Support one key to project your laptop to interactive display via wireless clicker(optional)



TECHNICAL SPECIFICATIONS

Standard Model	TE-YL-65	TE-YL-75	TE-YL-86
Screen Size (WxH) (mm)	1,428.5 x 803.5	1,650 x 928	1,895.04 x 1,065.96
Display Backlight	D-LED Backlight		
Resolution	3,840 x 2,160 (UHD)		
Brightness	350 cd/m2		
Contrast	1,200:1 or higher		
Aspect Ratio	16:9		
View Angle	178° x 178°		
Screen Mode	16:9 / 4:3 / dot to dot / full screen		
Color Depth	10-bit, 1.07 billion colors		
Panel Response Time	8 ms		
Support Resolution	4K Ultra HD 3,840 X 2,160		
AG Tempered Glass	4 mm thickness, 7H hardness Zero Gap Technology		
Android Specification	Android 11.0 GPU G52*8 CPU A73*4+A53*4 , 2.28GHz Dual Wi-Fi : WIFI 6+Bluetooth (5.0) + WIFI 5G; 5.0BT Ram : 8GM DDR4 Storage: 64G EMMC Full support for Full HD and 4K resolution		
Input Ports	Rear: HDMI x2, USB 2.0 x1, USB 3.0 x2, Touch USB x2, TOUCH USB x2, TF card x1, RS232 x1, RJ45 x1, MIC x1, DP x1, VGA/Audio x1, USB-C x1, OPS Slot x1 Front: USB 3.0 x3, HDMI 2.0 x1, TOUCH USB B Type x1, USB-C x1		
Output Ports	HDMI OUT x1, Coaxial x1, Headphone x1, RJ45 out x1		
Voltage	AC (100 ~ 240) V – 50/60HZ		
Audio	Speakers: 2x 15W		
Touch Parameter	Touch Technology:	Infrared Touch	
	Touch Points:	20 Touch points	
	Writing Mode:	Finger or any opaque object	
	Accuracy:	<2mm	
	Cursor Speed:	180 dot/s	
	Connection Port:	USB 2.0 & 3.0	
	Operating System:	Windows / Linux / Mac / Android	
	Working Temperature:	0°C - 40°C	
Accessories	Magnetic Pens x2, HDMI Cable x1, Touch USB x1, Power Cable x1, Software download card x1 Remoter x1, Wall mounting bracket x1		
Product Sizes (WxHxD) (mm)	1,469 x 916 x 93	1,696 x 1046 x 96	1,942 x 1184 x 94





LEDTRONICS

REINVENTING OUTDOOR



LEDtronics Sdn. Bhd. (450542-T)
E-3-3, Garden Office @ Encorp Strand
Jalan PJU 5/1, Kota Damansara
47810 Petaling Jaya, Selangor, Malaysia



+603.6158.6688



+603.6158.9988



info@ledtronics.com.my



ledtronics.com.my